


FIG. 1




FIG. 2


Eudora Pro
File Edit Mailbox Message Transfer Special Tools Window Help DMM
Trash
crash1
frankie
poof1
temp
MailFolder
beta-bugs
changes to bugs
Design Issues
Dump
In
Out
qc-eudora-testers
Trash
Apps
WSJ.com
SUBSCRIBE NOW!
Exclusive business news updated 24 hours a day. FREE two-week trial.
or
Get a Daily Edition
Design Issues
Label Who Date Subject
Steve Dorner 03:51 PM 1/14/9 2 a 30-minute feature: attribution & p
John Purlia 02:02 PM 1/14/9 2 Re: a 30-minute feature: attribution
Jeff Beckley 03:15 PM 1/14/9 3 Re: a 30-minute feature: attribution
Franklin Antonio 03:27 PM 1/14/9 2 Re: a 30-minute feature: attribution
Steve Dorner 05:39 PM 1/14/9 4 Re: a 30-minute feature: attribution
Steve Dorner 06:09 PM 1/14/9 2 Re: a 30-minute feature: attribution
To: eudora-ui@qualcomm.com
Subject: a 30-minute feature: attribution & paste as quote
I couldn't resist playing a little yesterday.
Ever wanted to reply to several people in one message, and wound up starting replies to each of them, just to get the attribution?
On a copy from a message window, I now add another chunk of data to the clipboard; the reply-to-all attribution for the message.
Then, as part of paste-as-quote, I insert that attribution above the quoted section.
At 10:50 AM -0800 1/12/99, David Hom wrote:
1. Some one has three personalities setup: Their dominant POP3, personality A: POP3
Out
sdorner@qualcom...
Design Issues
QUALCOMM
For Help, press F1

FIG. 3A


Eudora Pro
File Edit Mailbox Message Transfer Special Tools Window Help DMM
Trash
crash1
frankie
poof1
temp
MailFolder
beta-bugs
changes to bugs
Design Issues
Dump
In
Out
Personal
qc-eudora-testers
Trash
Apps
Eudora
Eudora-Bugs
Eudora-Design
Mailing Lists
MIME
People
Qualcomm
ViusesWormsEtc
Workgroups
zMisc
Design Issues
Label Who Date Subject
Steve Dorner 03:51 PM 1/14/9 2 a 30-minute feature: attribution & p
John Purlia 02:02 PM 1/14/9 2 Re: a 30-minute feature: attribution
Jeff Beckley 03:15 PM 1/14/9 3 Re: a 30-minute feature: attribution
Franklin Antonio 03:27 PM 1/14/9 2 Re: a 30-minute feature: attribution
Steve Dorner 05:39 PM 1/14/9 4 Re: a 30-minute feature: attribution
Steve Dorner 06:09 PM 1/14/9 2 Re: a 30-minute feature: attribution
To: eudora-ui@qualcomm.com
Subject: a 30-minute feature: attribution & paste as quote
I couldn't resist playing a little yesterday.
Ever wanted to reply to several people in one message, and wound up starting replies to each of them, just to get the attribution?
On a copy from a message window, I now add another chunk of data to the clipboard; the reply-to-all attribution for the message.
Then, as part of paste-as-quote, I insert that attribution above the quoted section.
At 10:50 AM -0800 1/12/99, David Hom wrote:
1. Some one has three personalities setup: Their dominant POP3, personality A: POP3
Out
sdorner@qualcom...
Design Issues
DASANI
For Help, press F1

FIG. 3B




FIG. 4A




FIG. 7A




FIG. 11


WELCOME TO EUDORA!
EUDORA IS NOW LICENSED IN THREE WAYS; SPONSORED MODE, PAID MODE, AND LIGHT MODE. UNLESS YOU CHANGE MODES, EUDORA WILL RUN IN SPONSORED MODE, MEANING IT WILL DISPLAY ADS.
WE HAVE DONE OUR BEST TO PRESENT THE ADS IN A WAY THAT RESPECTS THE WORK YOU DO IN EMAIL. BY ALLOWING EUDORA TO DISPLAY ADS, YOU GET THE FULL POWER OF EUDORA FOR FREE AND WE CAN STILL PAY OUR BILLS.
IF YOU DECIDE THE ADS ARE NOT FOR YOU, YOU CAN CHANGE MODES. PAID MODE SHOWS NO ADS. CURRENT EUDORA PRO 4.X USERS WILL BE ABLE TO UPGRADE TO PAID MODE FOR FREE. OTHER USERS WILL BE ABLE TO PAY A LICENSE FEE TO GO TO PAID MODE. AT THIS STAGE IN TESTING, THE MACHINERY FOR PAID MODE IS NOT FULLY TESTED, AND PAID MODE IS UNAVAILABLE. LIGHT MODE ALSO SHOWS NO ADS, BUT HAS MANY FEWER FEATURES.
TO SWITCH FORMS OF EUDORA, PLEASE USE THE "PAYMENT & REGISTRATION" ITEM IN THE HELP MENU. TO LEARN MORE ABOUT THE THREE MODES, CLICK ON THE "TELL ME MORE" BUTTON BELOW.
TELL ME MORE
OK

FIG. 4B


AD USER
HELP: PAYMENT & REGISTRATION
PAYMENT & REG WIN.
REGCODE MESSAGE
REG NAG [7,7]
ADWARE REG PAGE
PRE-REG DIALOG
REGISTER
PAYMENT PAGE
PREPAY DIALOG
PAY NOW
UPDATE PAGE
SHOW VERSIONS
DEMOGR. PAGE
PRE-PRFL DIALOG
CUSTOMIZE ADS
LOST CODE PAGE
LOST CODE
CODE ENTRY
ENTER CODE
CODE OK
REGISTERED AD USER
REGISTERED FREE USER
PAID USER
FREEWARE USER
FREEWARE DOWNGRADE
REDUCED FEATURES

FIG. 5A


PAYMENT & REGISTRATION
WHICH EUDORA IS RIGHT FOR YOU?
SPONSERD MODE (FREE, WITH ADS)
PAID MODE (COST MONEY, NO ADS)
LIGHT MODE (FREE, FEWER FEATURES)
KEEPING CURRENT
REGISTER WITH US
CUSTOMIZE THE ADS YOU SEE
FIND THE LATEST UPDATE TO EUDORA
YOUR REGISTRATION INFORMATION
< NO REGISTRATION NAME >
< NO REGISTRATION CODE >
CHANGE YOUR REGISTRATION
TAKE ME TO THE TO THE EUDORA WEB SITE FOR MORE INFORMATION

FIG. 5B


WOULD YOU LIKE TO REGISTER YOUR COPY OF EUDORA ?
AS A REGISTERED USER OF EUDORA WE WON'T NAG YOU AS OFTEN AS WE DO. WE'LL ALSO ERECT A GIANT STATUE IN YOUR IMAGE ON THE FRONT LAWN OF OUR CORPORATE HEADQUARTERS (*).
HOW COOL IS THAT? C'MON... REGISTER! IT'S FUN AND EASY!
(* GIANT STATUE OFFER VOID ON THE PLANET EARTH)
MAYBE LATER
TAKE ME TO THE REGISTRATION PAGE

FIG. 5C


THANKS FOR CHOOSING TO REGISTER EUDORA!
YOU'LL NEXT BE WALKED THROUGH A FEW QUICK STEPS, AS DESCRIBED BELOW, BEFORE REGISTRATION IS COMPLETE:
• EUDORA WILL OPEN YOUR WEB BROWSER AND TAKE YOU TO OUR REGISTRATION PAGE
• WE'LL FILL IN SOME SIMPLE REGISTRATION INFORMATION ON THE WEB SITE
• WE'LL THEN EMAIL A EUDORA REGISTRATION CODE BACK TO YOU
• THE NEXT TIME YOU CHECK MAIL, EUDORA WILL AUTOMATICALLY RECOGNIZE THIS CODE AND DISPLAY A DIALOG BOX INVITING YOU TO CONFIRM YOUR REGISTRATION INFORMATION
• TA DA! YOU'LL THEN BECOME A REGISTERED USER OF EUDORA... THANKS!
CANCEL
CONTINUE

FIG. 5D


THANKS FOR CHOOSING TO PURCHASE EUDORA!
YOU'LL NEXT BE WALKED THROUGH A FEW QUICK STEPS, AS DESCRIBED BELOW, BEFORE YOUR PURCHASE IS COMPLETE:
• EUDORA WILL OPEN YOUR WEB BROWSER AND TAKE YOU TO OUR PAYMENT & REGISTRATION PAGE
• YOU'LL BE ASKED TO PROVIDE YOUR PAYMENT AND REGISTRATION INFORMATION ON THE WEB SITE
• WE'LL THEN EMAIL A EUDORA REGISTRATION CODE BACK TO YOU
• THE NEXT TIME YOU CHECK MAIL, EUDORA WILL AUTOMATICALLY RECOGNIZE THIS CODE AND DISPLAY A DIALOG BOX INVITING YOU TO CONFIRM YOUR REGISTRATION INFORMATION
• TA-DA! YOU'LL THEN BECOME A PAID MODE USER... CONGRATULATIONS!
CANCEL
CONTINUE

FIG. 5E


THANK YOU FOR YOUR REGISTRATION!
TO COMPLETE YOUR REGISTRATION, PLEASE ENTER THE NAME YOU REGISTERED UNDER AND YOUR REGISTRATION CODE BELOW.
THE EXACT NAME YOU REGISTERD UNDER:
FIRST NAME:
LAST NAME:
JOHN
MANYJARS
YOUR REGISTRATION CODE:
48925-89A2-B1149
I LOST THE CODE
CANCEL
OK

FIG. 5F


DO YOU REALLY WANT TO SWITCH TO THE LIGHT VERSION OF EUDORA?
WHILE EUDORA IN LIGHT MODE REMAINS A VERY CAPABLE EMAIL CLIENT, IT LACKS THE POWER OF THE FULL VERSION. HERE ARE SOME OF THE FEATURES YOU WOULD BE GIVING UP, WITH CHECKMARKS NEXT TO THE ONES YOU'RE USING NOW:
b CHECK THE SPELLING OF YOUR EMAIL MESSAGES AS YOU TYPE
b MULTIPLE PERSONALITIES FOR MANAGING MULTIPLE MAIL ACCOUNTS OR IDENTITIES
MESSAGE STATIONERY TO HELP YOU RESPOND TO YOUR MAIL MORE QUICKLY
MULTIPLE SIGNATURES TO HELP PERSONALIZE YOUR MAIL
b MORE POWERFUL FILTERING
CHANGE THE PERSONALITY ASSOCIATED WITH MESSAGES FOR BETTER ORGANIZATION
b PLAY VARIOUS SOUNDS WHEN MAIL ARRIVES DEPENDING ON YOUR FILTERS
OPEN A MESSAGE OR MAILBOX IN RESPONSE TO A FILTER
PRINT MAIL DIRECTLY FROM FILTERS
YOU CAN CONTINUE TO ENJOY THE TIME-SAVING POWER OF THESE FEATURES, AT NO CHARGE, SIMPLY BY LEAVING EUDORA IN SPONSORED MODE. IF YOU REALLY WANT TO MAKE THE ADS GO AWAY BUT KEEP EUDORA'S FULL CAPABILITIES, HIT "CANCEL" AND THEN SELECT "FULL VERSION (COSTS MONEY, NO ADS)."
CANCEL
REDUCED FEATURES

FIG. 5G


FREEWARE USER
FEATURE NAG [30, 30]
HELP: PAYMENT & REGISTRATION
PAYMENT & REG WIN.
REG NAG [7,7]
REGCODE MESSAGE
REGISTER
PRE-REG DIALOG
FREEWARE REG PAGE
PAY NOW
PREPAY DIALOG
PAYMENT PAGE
SHOW VERSIONS
UPDATE PAGE
ENTER CODE
MODE ENTRY
LOST CODE
LOST CODE PAGE
CODE OK
TRY FEATURES
TRY FEATURES
PAID USER
REGISTERED FREE USER
REGISTERED AD USER
OLD USER

FIG. 6A


WOULD YOU LIKE TO TRY THE FULL-FEATURED VERSION OF EUDORA?
WHILE EUDORA IN LIGHT MODE REMAINS A VERY CAPABLE EMAIL PROGRAM, IT LACKS ALL THE POWER OF THE FULL VERSION. HERE ARE SOME OF THE CAPABILITIES YOU COULD BE USING TO MANAGE YOUR EMAIL (AND YOU'LL BE GETTING MORE OF IT, WE'RE SURE). THE FULL VERSION IS FREE BECAUSE IT IS SPONSOR-SUPPORTED. THAT MEANS IT HAS ADS IN IT, BUT THEY ARE DISPLAYED IN A WAY THAT'S SENSITIVE TO WHAT YOU'RE DOING WHEN YOU'RE IN EMAIL.
CHECK THE SPELLING OF YOUR EMAIL MESSAGES AS YOU TYPE
MULTIPLE PERSONALITIES FOR MANAGING MULTIPLE MAIL ACCOUNTS OR IDENTITIES
MESSAGE STATIONERY TO HELP YOU RESPOND TO YOUR MAIL MORE QUICKLY
MULTIPLE SIGNATURES TO HELP PERSONALIZE YOUR MAIL
MORE POWERFUL FILTERING
CHANGE THE PERSONALITY ASSOCIATED WITH MESSAGES FOR BETTER ORGANIZATION
PLAY VARIOUS SOUNDS WHEN MAIL ARRIVES DEPENDING ON YOUR FILTERS
OPEN A MESSAGE OR MAILBOX IN RESPONSE TO A FILTER
PRINT MAIL DIRECTLY FROM FILTERS
THESE FEATURES WILL BE TURNED ON AUTOMATICALLY, AT NO CHARGE, WHEN YOU CLICK ON THAT ENTICING BUTTON BELOW. (C'MON...TAKE A CHANCE.)
CANCEL
WOW! I WANT TO TRY ALL THE FEATURES!

FIG. 6B


THERE ARE UPDATES AVAILABLE TO EUDORA
YOU HAVE EUDORA VERSION 4.1. THE FOLLOWING UPDATES HAVE BECOME AVAILABLE SINCE THIS VERSION WAS RELEASED. IF YOU'D LIKE MORE INFORMATION ON ANY OF THESE UPDATES, SIMPLY FOLLOW THE LINKS. IF YOU'D RATHER WE NOTIFY YOU OF UPDATES, FOLLOW THIS.
EUDORA 5.3
THIS IS A MAJOR UPGRADE, WITH GREAT NEW FEATURES LIKE AUTOMATIC
EUDORA 4.2
THIS UPDATE IS MOSTLY BUG FIXES. THIS UPDATE IS FREE TO YOU.
PRINTED MANUAL
YOU CAN BUY A PRINTED MANUAL FOR EUDORA.

FIG. 7B


PAYMENT & REG WIN.
HELP: PAYMENT & REGISTRATION
REG NAG [7,7]
REGISTER
PRE-REG DIALOG
SHOW VERSIONS
ENTER CODE
CODE ENTRY
CODE OK
PAID USER
LOST CODE
BOX USER
BOX REG PAGE
UPDATE PAGE
LOST CODE PAGE
REGCODE MESSAGE

FIG. 8


AD USER
OK
REPAY DIALOG
SHOW VERSIONS
ARCHIVE PAGE
PAID APP
PAY NOW
PREPAY DIALOG
PAYMENT PAGE
PAID USER
UNPAID APP
UNPAID USER

FIG. 9


1
IN
NAG1 NEEDED
NEW NAG1
2
IN
FRESH MEAT GETS MAIL
NEW NAG1
3
FRESH MEAT
IN
USER CLICKS FRESH MEAT
FRESH MEAT
NAG1
IN
4
MORE MEAT GETS MAIL
MORE MEAT
FRESH MEAT
NAG1
IN
5

FIG. 10


LINK HISTORY
TYPE
SITE
DATE VISITED
APPLE COMPUTER
WED, SEP. 1, 1999, 4:48 PM
FTP.QUALCOMM.COM/EUDORA
TODAY, 11:26 AM
QUALCOMM STORE
WED, SEP. 1, 1999, 4:48 PM
MAC OS RUMORS
ASAP!
MDUDZLAK@QUALCOMM.COM
TODAY, 11:23 AM
WWW.QUALCOMM.ONES.PRODUC...
WED, SEP. 1, 1999, 4:48 PM
WWW.EUDORA.COM
ATTEMPTED
VIEW
REMOVE

FIG. 12A


YOU CAN'T GET THERE FROM HERE
YOU'RE NOT CONNECTED TO THE INTERNET NOW. HELP ME COPE.
CONNECT YOU AND VISIT THE SITE, RECORD A BOOKMARK FOR LATER
REMIND YOU TO VISIT IT NEXT TIME YOU ARE CONNECTED.
CONNECT TO THE INTERNET AND VISIT T
VISIT NOW
BOOKMARK THIS SITE TO VISIT L
BOOKMARK
BOOKMARK THE SITE, AND REMIND YOU
YOU'RE CONNECTED TO THE INTER
REMIND ME
REMEBER YOUR CHOICE FOR NEXT TIME

FIG. 12B

| ASSUMPTIONS | |
|---|---|
| AVERAGE CONNEC. SPEED, Xbps | 28.8 |
| AVERAGE AD SIZE, Xbps/cm | 9.3 |
| NUMBER OF USERS | 8,000,000 |
| NUMBER OF HOURS RUNNING EUDORA | 2 |
| NUMBER MAILCHECKS PER USER PER HOUR | 2 |
| PLAYLIST ENTERY SIZE, BYTES | 500 |

FIG. 13A



| IMPLICATIONS | | | | | | | |
|---|---|---|---|---|---|---|---|
| # OF NEW ADS PER USER PER DAY | # SECONDS DOWN-LOADING ADS | # SECONDS ADDED PER CHECK | 8x USERS AD BAND-WIDTH, Xbps | AD Xbps/ 100,000 USERS | AVG. CONN-ECTIONS, 1000' | 8 x USERS PLAYLIST BAND-WIDTH, Xbps | PLAYLIST Xbps/ 100,000 USERS |
| 10 | 26 | 6 | 67 | 0.8 | 2.4 | 4 | 0.0 |
| 15 | 39 | 10 | 101 | 1.3 | 3.6 | 5 | 0.1 |
| 20 | 52 | 13 | 135 | 1.7 | 4.8 | 7 | 0.1 |
| 25 | 65 | 16 | 168 | 2.1 | 6.0 | 9 | 0.1 |
| 30 | 78 | 19 | 202 | 2.5 | 7.2 | 11 | 0.1 |
| 35 | 90 | 23 | 235 | 2.9 | 8.4 | 12 | 0.2 |

FIG. 13B


100A
CLIENT
PLAYLIST REQUEST
302
ADSERVER.EUDORA.COM
PLAYLIST
100A
CLIENT
302'
PLAYLIST SERVER
AD URL
303
AD SERVER
AD
100A
CLIENT
TIME

FIG. 14

```
////////////////////////////////
// Main ad scheduler
ScheduleMain
{
// Has a new day dawned?
Do CheckForNewDay
// Are we within the current ad's showFor?
if ( ad.thisShowTime < ad.showFor )
{
// there is nothing to be done
return
}
// At this point, we know that we need a new ad
// Perform housekeeping tasks on the old one
do AdEndBookkeeping
// Pop out of a block if all ads on par
if ( block isn't all playlists )
{
find ad with minimum ad.numberShown
if ( ad.numberShown >= blockGoal )
set block to all playlists
}
// If we are over our quota of regular ads for the day,
// look for a runout
if ( adFaceTimeToday > faceTimeQuota )
{
do ShowARunout
}
else
{
Do ShowARegularAd
}
}
// end ad schedule main
```

FIG. 15A

OIPE JC145 MAR 2 0 2001 PATENT & TRADEMARK OFFICE



```
////////////////////////////////////
// We must perform certain tasks when the calander day
changes.
CheckForNewDay
{if ( the calander day has changed )
{
// Perform housekeeping tasks on the ad currently showing
Do StopShowingCurrentAd
// Runout ads are charged for a full showFor if they've been
shown
// at all on a given day. Charge any runout ads if they've
been
// shown at all.
for runout ads
{
if ( ad.thisShowTime > 0 )
{
ad.totalTimeShown += ad.showFor
ad.thisShowTime = 0
}
}
// Now, reset the counters for all ads to reflect the fact
that
// a new day has dawned.
for all ads
{
ad.numberShownToday = 0
}
// Record yesterday's facetime
// Might not literally be yesterday, be sure to use
// whatever day the app was last run on
set old current day's facetime to totalFaceTimeToday
// and reset our global regular ad facetime counter
adFaceTimeToday = 0
totalFaceTimeToday = 0
// if we were in a block, back out
set block to all playlists
}
}
// end CheckForNewDay
```

09/529,055 - 02/20/01

FIG. 15B

```
////////////////////////////////////
// This function shows a runout ad, and if it
// can't find one, goes to a rerun
ShowARunout
{
for runout ads
{
// has the ad been flushed?
if ( ad.flushed )
try next ad
// are we done showing this runout today?
if ( ad.numberShownToday > ad.dayMax )
try next ad // this one's used up for the day
// are we done showing this runout for ever and ever?
if ( ad.shownFor > ad.shownForMax )
try next runout ad // this one's used up forever
// are we between the ad's start and end date?
if ( ad.startDate < the current date < ad.endDate )
try next runout ad
// the ad is not supposed to run today
// do we actually HAVE the ad?
if ( ad has not been downloaded )
{
ask for ad to be downloaded
try next ad
}
// ok, we believe we should show this runout
// we are now in runout state
Do ShowAnAd
return
}
// if we haven't found a runout ad, we will go to "rerun"
state
Do ShowARerun
}
// end ShowARunout
```

FIG. 15C

09/25055 - 052004

```
////////////////////////////////////
// Rerun state. Look for a regular ad to rerun
ShowARerun
{
for regular ads [ in current block ]
{
// has the ad been flushed?
if ( ad.flushed )
try next ad
// is this ad recent enough to rerun?
if ( ad.lastShownDate is older than returnInterval )
try next ad
// this one is too old to rerun
// if in block, show ads only if it's their "turn"
if ( ad.numberShownToday >= blockGoal )
try next ad // need to find a friend in this block
// are we between the ad's start and end dates?
if ( ad.startDate < the current date < ad.endDate )
try next ad
// the ad is not supposed to run today
// do we actually HAVE the ad?
if ( ad has not been downloaded )
{
ask for ad to be downloaded
try next ad
}
// ok, at this point we can show this ad, but because
// we're in rerun, we don't keep the books
Do ShowAnAd
return
}
// if we get here, we have no ads to show. Punt.
return
}
// end ShowARerun
```

FIG. 15D

```
////////////////////////////////////
// Show a regular ad
ShowARegularAd
{
for regular ads [ in current block ]
{
// has the ad been flushed?
if ( ad.flushed)
try next ad
// are we done showing this ad today?
if (ad.numberShownToday > ad.dayMax )
try next ad // this one's used up for the day
// if in block, show ads only if it's their "turn"
if ( ad.numberShownToday >= blockGoal )
try next add // need to find a friend in this block
// are we done showing this ad for ever and ever?
if ( ad.shownFor > ad.showForMax )
try next ad // this one's used up forever
// are we between the ad's start and end dates?
if ( ad.startDate < the current date < ad.endDate )
try next ad
// the ad is not supposed to run today
// do we actually HAVE the ad?
if ( ad has not been downloaded )
{
ask for ad to be downloaded
try next ad
}
// ok, we believe we should show this ad
// we are now in regular state
Do ShowAnAd
return
}
// if we get here, we have failed to find a regular
// ad. Go to runout
Do ShowARunout
}
// end ShowARegularAd
```

FIG. 15E

```
////////////////////////////////////
// Perform necessary housekeeping when we're taking
// down an ad
AdEndBookkeeping
{
// In rerun state, we don't do any bookkeeping
if ( in RerunState )
return
// Account for at most ad.showFor seconds, provided
// we've shown the ad for at least ad.showFor seconds
// Note that this means we don't charge for time beyond
// ad.showFor seconds, which is important
if ( ad.thisShowTime >= ad.showFor )
{
ad.numberShownToday += ad.showFor
ad.shownFor++
// we do NOT reset thisShowTime here, we do it in
// AdStartBookkeeping. It actually doesn't matter where
// we do it, provided we are careful NOT to do it for
// runout ads.
}
}
// end AdEndBookkeeping
```

FIG. 15F

```
////////////////////////////////////
// Show an ad, including bookkeeping and block handling
ShowAnAd
{
//  If the ad is in a block, notice that
if ( it's in a "block" playlist )
{
if ( not currently in a block )
{
find ad in block with minimum numberShown
make that our ad
set blockGoal to minimum numberShown+1
}
set current block to this playlist
}
// now do bookkeeping
Do AdStartBookkeeping
// and actually show it
Do DisplayThatAd
}
```

FIG. 15G

09726965 - 032504

```
////////////////////////////////////
// Perform housekeeping when we put up an ad
AdStartBookkeeping
{
// In return state, we don't do any bookkeeping
if ( in RerunState )
return
// For regular ads
if ( it's a regular ad )
{
ad.thisShowTime = 0
ad.lastShownDate = now
}
}
// end AdStartBookkeeping
```

FIG. 15H

| PERSISTANT ADS | |
|---|---|
| PLAYLIST REQUEST | |
| FACE TIME | USED TO DETERMINE HOW MUCH ADVERTISING TO SEND TO CLIENT |
| FACE TIME LEFT | NOT USED |
| PLAYLIST RESPONSE CLIENTINFO | |
| REQINTERVAL | RELATIVELY LARGE: ONE OR MORE DAYS |
| FLUSH | USED. SINGLE PLAYLIST COMPLETELY SPECIFIES LIST OF ADS CLIENT SHOULD HAVE |
| PLAYLIST RESPONSE SCHEDULING PARAMETERS | |
| SHOWFORMAX | NOT USED |

FIG. 16A



| SHORT-LIVED ADS | |
|---|---|
| PLAYLIST REQUEST | |
| FACE TIME | NOT USED |
| FACE TIME LEFT | USED TO DETERMINE HOW MANY ADS CLIENT SHOULD RECEIVE |
| PLAYLIST RESPONSE CLIENTINFO | |
| REQINTERVAL | NOT USED. INSTEAD, CLIENT REQUEST NEW PLAYLIST WHENEVER ADS "RUN LOW". |
| FLUSH | NOT USED |
| PLAYLIST RESPONSE SCHEDULING PARAMETERS | |
| SHOWFORMAX | USED TO DETERMINE HOW LONG AN AD RUNS |

FIG. 16B


EUDORA DOESN'T SEEM TO BE GETTING ADS.
FOR SOME REASON, EUDORA IS UNABLE TO DOWNLOAD NEW ADS. DOWNLOADING AND DISPLAYING ADS IS A REQUIREMENT FOR THE FREE FULL-FEATURED VERSION OF EUDORA. PLEASE VISIT THE EUDORA WEB SITE FOR INFORMATION ABOUT HOW TO RESUME GETTING ADS.
INVALID HTTP REQUEST (ERROR CODE: 503)
IF AD DOWNLOADING CONTINUES TO FAIL, EUDORA WILL EVENTUALLY REVERT TO THE LIGHT VERSION WHICH IS LESS POWERFUL.
TAKE ME TO THE EUDORA WEB SITE



FIG. 17A

**SOMETHING SEEMS TO BE COVERING THE AD.**

ITS PROBABLY INADVERTENT, BUT EUDORA HAS DETERMINED THAT YOU ARE COVERING UP ALL OR A SIGNIFICANT PORTION OF AN AD. THE SOFTWARE IS DESIGNED TO NOTIFY YOU WHEN THIS HAPPENS IN THE HOPES THAT YOU WILL STOP COVERING UP THE AD. IF YOU DON'T, THIS WINDOW WILL KEEP POPPING UP (WHICH YOU WILL PROBABLY FIND QUITE ANNOYING).

WE'VE ALWAYS GOT SOME GOOD STUFF UNDER DEVELOPMENT BACK AT THE HOME OFFICE, AND IT'S THE ADVERTISING IN EUDORA THAT ENABLES US TO CONTINUE TO DEVELOP THE SOFTWARE WHILE PROVIDING IT TO YOU FOR FREE. WE'VE WORKED HARD TO MAKE SURE THE ADVERTISING ISN'T ANNOYING AND WE GENUINELY HOPE THAT YOU ARE NOT DELIBERATELY TRYING TO COVER THE ADS BECAUSE THEY'RE BOTHERING YOU. OF COURSE, YOU CAN CHOOSE TO PAY US FOR EUDORA BY CHOOSING "PAYMENT & REGISTRATION" FROM THE "HELP" MENU AND CLICKING ON "PAID FULL VERSION." OR YOU CAN REMOVE WHATEVER IS OBSCURING THE AD.

OK



FIG. 17B


EUDORA WILL NOW REVERT TO A LESS POWERFUL VERSION.
EUDORA HAS BEEN UNABLE TO DOWNLOAD ADS FOR QUITE SOME TIME AND WILL NOW REVERT TO A LESS POWERFUL VERSION. IF YOU WOULD LIKE MORE INFORMATION ABOUT WHY EUDORA'S FEATURES ARE BEING REDUCED AT THIS TIME, PLEASE VISIT THE EUDORA WEB SITE. YOU WILL FIND INFORMATION THERE ABOUT HOW THE FULL-FEATURED VERSION CAN BE REACTIVATED.
WE'RE SORRY FOR THIS INCONVENIENCE.
TAKE ME TO THE EUDORA WEB SITE
SADLY, OK...

FIG. 17C


WE'D LIKE TO KNOW HOW YOU USE EUDORA.
IN ORDER TO MAKE EUDORA WORK AS WELL AS POSSIBLE, IT'S IMPORTANT THAT WE KNOW HOW PEOPLE USE IT. WE ASK USERS FOR THIS INFORMATION AT RANDOM. LOOKS LIKE IT'S YOUR TURN. IF YOU'RE OPEN TO HELPING US THIS WAY, ALL YOU HAVE TO DO IS CLICK "GENERATE INFO" BELOW AND A MESSAGE WILL BE CREATED. YOU CAN REVIEW THE CONTENTS OF THE MESSAGE IF YOU LIKE, AND THEN SEND IT TO US OR NOT - - THAT'S UP TO YOU.
WE VALUE OUR PRIVACY; WE'RE PRETTY SURE YOU VALUE YOURS. SO WE WANT YOU TO KNOW WHAT WE'LL BE COLLECTING AND GIVE YOU A CHANGE TO ELIMINATE ANYTHING YOU DON'T WANT TO SEND. SIMPLY UNCHECK THE BOXES NEXT TO ANY INFORMATION YOU'D RATHER NOT SEND.
PLEASE UNDERSTAND THAT AS SOON AS WE RECEIVE YOUR EMAIL, WE WILL THROW AWAY THE HEADERS THAT IDENTIFY THE MAIL AS COMING FROM YOU. YOU SEE, WE DON'T ACTUALLY NEED TO KNOW WHO YOU ARE TO FIND YOUR INFORMATION HELPFUL. SO WE PROMISE TO PROTECT YOUR PRIVACY AND TURN YOU INTO "JUST A NUMBER." :-)
IT'S OK TO TRANSMIT STATISTICS REGARDING:
YOU'RE DEMOGRAPHIC DATA
ADVERTISEMENT INFORMATION
NON-PERSONAL SETTINGS
YOUR NET/EUDORA USAGE
EUDORA FEATURES YOU USE
CANCEL
GENERATE INFO

FIG. 18A

| PAGE | APPLICABLE QUERY PARTS | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ACTION | PLATFORM | PRODUCT | VERSION | DISTRIBUTORII | MODE | REALNAME | EMAIL | REGFIRST | REGLAST | REGCODE | OLDREG | REGLEVEL | PROFILE | URL | ADID | TOPIC |
| PAYMENT | PAY | X | X | X | X | X | X | X | X | X | X | X | | | | | |
| FREEWARE REGISTRATION | REGISTER-FREE | X | X | X | X | X | X | X | X | X | X | | | | | | |
| ADWARE REGISTRATION | REGISTER-AD | X | X | X | X | X | X | X | X | X | X | | | | | | |
| BOX REGISTRATIONS | REGISTER-BOX | X | X | X | X | X | X | X | X | X | X | | | | | | |
| LOST CODE | LOSTCODE | X | X | X | X | X | X | X | X | X | X | X | | | | | |
| UPDATE | UPDATE | X | X | X | X | X | | | | | | | X | | | | |
| PRO UPDATE | PROUPDATE | X | X | X | X | X | | | | | | | X | | | | |
| ARCHIVED | ARCHIVED | X | X | X | X | X | | | | | | | | | | | |
| PROFILE | PROFILE | X | X | X | X | X | X | X | | | | | | X | | | |
| INTRODUCTION | INTRO | | | | | | | | | | | | | | | | |
| SUPPORT | N/A | X | X | X | X | X | X | X | X | X | X | X | | | | | |
| QUICK TIME MISSING | SUPPORT | X | X | X | X | | | | | | | | | | | | NO-QT |
| AD FAILURE | SUPPORT | X | X | X | X | | | | | | | | | | | | AD-FAIL |
| TUTORIAL | SUPPORT | X | X | X | X | | | | | | | | | | | | TUTOR |
| FAQ | SUPPORT | X | X | X | X | | | | | | | | | | | | FAQ |
| LIGHT USERS | SUPPORT | X | X | X | X | | | | | | | | | | | | LIGHT |
| SEARCH SUPPORT | SUPPORT | X | X | X | X | | | | | | | | | | | | SEARCH |
| NEWSGROUPS | SUPPORT | X | X | X | X | | | | | | | | | | | | USENET |

FIG. 19


<<Interface>>
XML TAG
#tag : String
#attr : AttributeListImpl
#ch : StringBuffer
+XMLWrite()
+XMLStartElement()
+XMLEndElement()
<<UTILITY>>
XMLCLIENTUPDATE
+distributerId:XMLTag
+faceTime:XMLTag
+faceTimeLeft:XMLTag
<<utility>>
XMLfault
+faultCode: XMLTag
+faultString: XMLTag
+XMLWrite()
<<utility>>
XMLPlayLists
+clickBase: XMLTag
+mixAlgo: XMLTag
+XMLWrite()
<<utility>>
XMLentry
+adId:XMLTag
+blackBefore: XMLTag
+blackAfter: XMLTag
+ShowFor: XMLTag
+XMLWrite()
<<utility>>
XMLClientInfo
+flush: XMLTag
+height: XMLTag
+hisLength: XMLTag
+XMLWrite()
<<utility>>
XMLClientUpdateResponse
+clientInfo: XMLClientinfo
+fault: XMLFault
+playLists: XMLPlayLists
+XMLWrite()

FIG. 20

% The list of available ads advantageously can be built from the following query:

ads = dbCon.prepareStatement("SELECT" * FROM ads WHERE StartDate<=today AND endDate>=today + 30 AND AdType = "I" AND AdStatus = "A" AND ImpressionsServed<Impressions ORDERED BY ImpressionsServed ASC);

run out ads = dbCon.prepareStatement("SELECT * FROM ads WHERE StartDate <= today AND endDate >= today + 30 AND AdType = "R" AND AdStatus = "A" AND ImpressionsServed<Impressions ORDERED BY ImpressionsServed ASC);

% The time required to deliver the ads advantageously can be calculated in the following manner.

face time left for today [seconds] = faceTime[today] - faceTimeUsedToday

(Comment: Face time left for today is the number of seconds the servlet can use to deliver special ads today.)

predict face time [seconds] = SUM( faceTime[tomorrow], faceTime[tomorrow+1], ... faceTime[tomorrow+reqInterval])

(Comment: Predict face time is the number of seconds the servlet predicts the user is going to have.)

goal show time left [seconds] = predict face time -faceTimeLeft

(Comment: Goal show time left is the number of seconds that the software provider needs to fill with ads.)



FIG. 21A

```
% Targeting
        while (face time left for today) {
                if ad is not in the history {
                        select ad [according to target = today]
                        face time left for today -= ad.showFor
                }
                next ad
}

while (Goal show time left ) {
        if ad is not in the history {
                select ad [according to target]
                goal show time left -= ad.showFor
        }
        next ad
}


Default values:
        reqInterval = 1 day.
        facetime = 30 minutes
        faceTimeQuota is ?
        histLength = 31 days
```

FIG. 21B


<<UTILITY>>
PlayListRequest
+"com.jclark.xml.sax.Driver":String
+handleRequest(Input: InputSource, ClientUpdate:XMLClientUpdate):boolean
<<UTILITY>>
PlayListResponse
+playlistResponse:XMClientUpdateResponse
+handleResponse(XMLClientUpdateResponse:XMLClientUpdateResponse):boolean
<<INTERFACE>>
PlayListsService
-DBM: DBManager
+doGet( )
+doPost( )
+Init( )
+destroy( )
<<UTILITY>>
PlayListsGenerator
+dbm:DBManager
+generate(clientUpdate:XMLClientUpdate, clientUpdateResponse:XMLClientUpdateResponse):boolean
<<UTILITY>>
DBManager
-dbName:String
-dbLocation:String
+openconnection():boolean
+getConnection():Connection
+exeSQL(startdate:SQLdate, enddate:SQLdate):boolean

FIG. 22


PLAY LIST SERVLET
MAIN THREAD
XML PARSE REQUEST
LUNCH THREAD
FLOW DIRECTION
SELECT FROM ADS WHERE...
UDBC
CREATE THREAD FOR
LOGGING THE REQUEST
INFORMATION
DECISION / FILTER / TARGETING
SQL DATABASE
STORE IN
TABLE THE
CLIENT REQUEST
INFORMATION
LUNCH THREAD
CREATE THREAD FOR UPDATING
IN THE ADS TABLE NUMBER OF
IMPRESSIONS SERVED
GENERATE XML RESPONSE
CREATE THREAD FOR
LOGGING THE RESPONSE
INFORMATION
UPDATE
IMPRESSIONS
SERVED
STORE IN TABLE
THE RESPONSE
INFORMATION

FIG. 23